
ALDEN LEEDS, INC. PRODUCT CODE # 1520, 3161 & 3162 MATERIAL
55 JACOBUS AVE. PRODUCT NAME: YELLOW SHOCK SAFETY DATA
SO. KEARNY, NJ 07032 & CLEAR, BROMINE INITIATOR SHEET
(973) 589-3544 10/20/04

SECTION I - IDENTIFICATION

CHEMICAL NAME & SYNONYMS: Alkali metal halide
FORMULA: NaBr
TRADE NAME: NuClo Yellow Shock & Clear, Bromine Initiator
DESCRIPTION: White odorless crystalline solid, hydroscopic, but not deliquescent.
CAS NO. 7647-15-6

SECTION II - PHYSICAL DATA

Boiling Point: 1390 C **Freezing Point:** N/A
Vapor Pressure: 1mm Hg @ 806 C **Specific Gravity (H₂O=1):** 3.21
% Volatile by Volume: N/A **Vapor Density:** N/A
Solubility in water: 95 g/100g @ 25 C **Evaporation Rate:** N/A

SECTION III - FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A **Autoignition Temp:** N/A
Flammable Limits in Air % By Volume: N/A
Extinguishing Media: Use media appropriate for surrounding fire.
Special Fire Fighting Procedures: Cool containers with water spray. In closed stores, provide fire-fighters with self contained breathing apparatus. (In pressure demand or other positive pressure mode.)
Unusual Fire and Explosion Hazards: From ~ 800 C will decompose, releasing toxic bromine fumes.

SECTION IV - HEALTH HAZARD DATA

Threshold limit value: None established.
EFFECTS OF OVEREXPOSURE: Slight irritation to eyes, skin and mucous membranes, respiratory tract and gastrointestinal tract.
EFFECTS OF CHRONIC EXPOSURE: None expected at use concentrations.

SECTION V - EMERGENCY AND FIRST AID PROCEDURE

INHALATION: Remove patient to fresh air, call a physician.
SKIN: Flush with water for 15 minutes. Call a physician.
EYE: Flush with water for 15 minutes. Call a physician.
INGESTION: Drink large quantities of water, induce vomiting by placing finger to back of throat. Consult a physician.

SECTION VI - TOXICOLOGY

Acute Oral LD50 (rat): 4200mg/kg **Carcinogenic:** Not known to be.
Acute Dermal LD50 (rabbit): 2000 mg/kg **Mutagenic:** Not known to be.

SECTION VII - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Heating above 800 C
Incompatibility (materials to avoid): Will react violently with Bromine Trifluoride
Hazardous Decomposition: From ~ 800 C toxic, irritant bromine fumes are released.
Hazardous Polymerization: N/A

CHEMICAL NAME:
Alkali Metal Halide

TRADE NAME: NuClo Yellow Shock & Clear,
Bromine Initiator

SECTION VIII - SPILL, LEAKAGE & DISPOSAL PROCEDURES

Steps to take if material leaks or spills: Use dust respirator, rubber gloves and protective goggles with side shields. Prevent dusting, shovel into intact packaging for possible re-use or dilute with water and drain to sewer with ample water.

Waste disposal method: Put into a large vessel containing water and drain into sewer with ample water. dispose of in compliance with all Federal, State and Local regulations.

SECTION IX - SPECIAL PROTECTION DATA

Ventilation:

Local Exhaust: Required where exposure to dust might occur.

Eye Protection: Wear goggles or safety glasses with side shields.

Respiratory Protection: Use an NIOSH approved respirator when necessary.

Protective Gloves: Wear impervious gloves.

Other Equipment: Wear coveralls and impervious boots.

SECTION X - SPECIAL PRECAUTIONS DATA

Handling and Storage: Do not get in eyes, on skin or clothing. Do not take internally. Avoid breathing dust. Protect against physical damage. Store in cool, dry well-ventilated place away from flammable liquids, combustible or oxidizable materials..

Other: Drums may be ruptured if contents are overexposed to heat, becomes contaminated or wet. Avoid prolonged storage in unventilated areas at hot summer temperatures

SECTION XI - TRANSPORTATION INFORMATION

This material is not a hazardous material and is not regulated by the D.O.T. For all transportation accidents, call **CHEMTREC** at 800-424-9300.

The information herein is given in good faith but no warranty, expressed or implied, is made.

ALDEN LEEDS, INC.
55 JACOBUS AVE. SO. KEARNY, NJ 07032
24 HOUR EMERGENCY PHONE: CHEMTREC 800-424-9300